



# Pest e-alerts



---

Entomology and Plant Pathology, Oklahoma State University  
127 Noble Research Center, Stillwater, OK 74078  
405.744.5527

---

Vol. 18, No. 24

<http://entopl.okstate.edu/pddl/pddl>

5/31/19

---

## Wheat Disease Update – 31 May 2019

Bob Hunger, Extension Wheat Pathologist  
Department of Entomology & Plant Pathology  
Oklahoma State University - 127 Noble Research Center  
405-744-9958

Harvest in southern OK started just this week, so this report will focus primarily on wheat in central, northern, northwestern and the panhandle of Oklahoma. It appears that the wheat crop is well along in its development and needs some dry and warmer weather to finish (as well as to allow harvest!). The primary issues this past week have been deterioration of leaves and head discoloration. The wet environment certainly is contributing to both of these issues. In wheat around Stillwater, heads are being discolored due to black chaff (a bacterial disease; Figure 1) as well as Septoria/Stagonospora that cause leaf spotting as well as head discoloration (Figure 2). There also is a general darkening of heads, called melanism, which results not from a disease but rather is related to genetics and environment Figure 3. This melanism is difficult to distinguish from the other diseases that are present, especially because this year there seems to be all these happening at once.

Figure 1. Leaf discoloration (top photo; Josh Bushong; NW OK Agron Extn SpecIst) and awn banding (left photo; note arrow) due to a bacterium that cause bacterial leaf streak and black chaff. The right photo (Dr. J. Edwards; Oklahoma State University) shows head and stem discoloration also often associated with this bacterial disease.



Figure 1 continued



Figure 2. Fungal discoloration and lesions caused by the fungus *Septoria* on a wheat leaf. Note the small, black “pepper spots” (called pycnidia) of the fungus in which spores are produced.



Figure 3. General darkening of heads not due to disease(s), but the result of an interaction between the genetics of the plant and the environment.



Other diseases that are likely to be observed at this point in time are white heads due to foot rots (see wheat disease update on 5-24-2019 available at <http://entoplp.okstate.edu/pddl/advisory.htm>), Fusarium head blight, and sooty mold. I've described and discussed Fusarium head blight in a previous update (5-16-2019 available at <http://entoplp.okstate.edu/pddl/advisory.htm>). Sooty mold on heads occurs when wheat has turned but cannot be harvested in a timely manner. Wet and humid conditions promote fungal growth on those heads (Figure 4). With time, these fungi can also partly start to grow on wheat seed still in the head, especially at the germ end of the seed. This can lead to a poorer quality of wheat and reduced seed germination

Figure 4. Wheat sooty mold. Photo to the left shows sooty mold on mature wheat plants as indicated by the darker, greyish colored areas. Photo to the right shows a healthy head next to a head covered with sooty mold. The bottom photo (credit to Dr. Erick DeWolf, Kansas State University) shows wheat grain ranging from grain harvested from a healthy head to grain harvested from a head with a high incidence of sooty mold.



Figure 4 continued: Below (credit to Dr. Erick DeWolf, Kansas State University) shows wheat grain ranging from grain harvested from a healthy head to grain harvested from a head with a high incidence of sooty mold.



What is described above is confirmed for northwestern OK and the OK panhandle by Josh Bushong (NW OK Area Extn Agron Speclt) who reported seeing overall leaf health as deteriorating across NW OK as well as at field days this past week at Hooker, Balko and Goodwell (all in the OK panhandle). However, the wheat in these parts of Oklahoma should be sufficiently far along (mostly in dough stage) so that the impact on yield should be minimal. Be aware though that head diseases such as Fusarium head scab and sooty mold can affect grain quality and create major problems when the wheat is taken to the elevator.

#### **Disease and Insect Diagnostic Laboratory**

The pesticide information presented in this publication was current with federal and state regulations at the time of printing. The user is responsible for determining that the intended use is consistent with the label of the product being used. Use pesticides safely. Read and follow label directions. The information given herein is for educational purposes only. Reference to commercial products or trade names is made with the understanding that no discrimination is intended and no endorsement by the Cooperative Extension Service is implied.

Oklahoma State University, in compliance with Title VI and VII of the Civil Rights Act of 1964, Executive Order 11246 as amended, and Title IX of the Education Amendments of 1972 (Higher Education Act), the Americans with Disabilities Act of 1990, and other federal and state laws and regulations, does not discriminate on the basis of race, color, national origin, genetic information, sex, age, sexual orientation, gender identity, religion, disability, or status as a veteran, in any of its policies, practices or procedures. This provision includes, but is not limited to admissions, employment, financial aid, and educational services. The Director of Equal Opportunity, 408 Whitehurst, OSU, Stillwater, OK 74078-1035; Phone 405-744-5371; email: [eeo@okstate.edu](mailto:eeo@okstate.edu) has been designated to handle inquiries regarding non-discrimination policies: Director of Equal Opportunity. Any person (student, faculty, or staff) who believes that discriminatory practices have been engaged in based on gender may discuss his or her concerns and file informal or formal complaints of possible violations of Title IX with OSU's Title IX Coordinator 405-744-9154.

Issued in furtherance of Cooperative Extension work, acts of May 8 and June 30, 1914, in cooperation with the U.S. Department of Agriculture, Director of Oklahoma Cooperative Extension Service, Oklahoma State University, Stillwater, Oklahoma. This publication is issued by Oklahoma State University as authorized by the Vice President, Dean, and Director of the Division of Agricultural Sciences and Natural Resources.