



Benefits and Concerns Associated with Aerobic Treatment Systems (ATS)

Kasie D. Stambaugh
Graduate Student, Environmental Science

Tracy A. Boyer
Associate Professor, Agricultural Economics

Garey A. Fox
Professor and Buchanan Endowed Chair
Biosystems and Agricultural Engineering

Oklahoma Cooperative Extension Fact Sheets
are also available on our website at:
<http://osufacts.okstate.edu>

Aerobic Treatment Systems (ATS) collect residential grey water and wastewater leaving homes and discharging the treated effluent on lawns in residential settings (Figure 1). ATS installations are increasing in number throughout the U.S., according to the U.S. Environmental Protection Agency (USEPA) (USEPA, 2000). ATS are viewed as a beneficial water conservation method because they recycle treated wastewater for outdoor irrigation. Proper operation methods

and maintenance requirements are included to provide ATS owners/operators information to properly care for on-site septic systems. Concerns associated with ATS are also discussed to alert users to potential contamination to surface water that may result from poorly maintained or improperly installed systems.

Benefits and Costs

ATS collect and treat wastewater leaving homes and recycle the treated wastewater for outdoor irrigation. Currently, ATS are being installed as a replacement for failing septic systems in the U.S. (USEPA, 2000) and in newly constructed




Figure 1: Aerobic Treatment System Treatment Diagram (left to right). (Source: ODEQ, 2011e)

residences. ATS is usually chosen only if soil and site characteristics are not suited for other simpler systems, such as septic fields. Homebuilders find the idea of offsetting outdoor irrigation costs as an attractive benefit of ATS compared to traditional septic systems. Homebuilders and developers may prefer the installation of ATS compared to septic systems because they use less yard space and allow homes spaced closer when building a residential development (OEDQ, ASTS). Another key benefit for ATS installation in Oklahoma is their suitability for poor quality clay or very sandy soils.

ATS have a high initial cost for installation; however, ATS costs decline through time (ODEQ, ASTS). In Oklahoma (2015), bids for new installation of a residential ATS were roughly \$5,500 to \$5,700, including a 2-year warranty and four routine inspections. A one-year service contract would cost \$150 to \$225. A one-time inspection of an ATU would cost \$190. ATS should be serviced and maintained for two years by law after installation by a certified installer (ODEQ, 2012). The certified installer covers all costs associated with maintenance performed for the first two years after installation, or amounts agreed upon in a signed contract with the homeowner.

After an ATS has been installed and maintained by a certified installer for two years, the maintenance and operation requirements must be performed by the homeowner (ATS owner/operator) or by a renewed or newly contracted certified maintenance company. Ongoing costs covered by the homeowner (owner/operator) may include sludge removal. The fee for hiring a certified technician to collect the sludge from the pre-treatment tank along with the charge for proper disposal methods will be paid by the homeowner. The sludge removal process should occur at regular intervals and be determined by the loading rate and size capacity of each system (ATS).

ATS Operations

ATS collect all water leaving a home in a pre-treatment/trash tank. Solids collect near the bottom of the tank (sludge) and the liquid is transported to the aerobic treatment unit/aeration tank (Figure 1). The aeration tank is designed to treat the wastewater through a process of nitrate reduction (ODEQ, 2012). Nitrogen reduction occurs in an aerobic system by microorganisms and bacteria present in the system. Nitrogen is oxidized in the aeration tank by the air that is bubbled into the tank, which causes nitrogen and ammonium to be oxidized into nitrate. Nitrate is then reduced to nitrogen gas during a period in which the aerators are turned off.

Chlorine should be added per manufacturer instructions regarding disinfection. The homeowner is also responsible for adding chlorine to the treatment tank daily, as well as the cost of the chlorine. Chlorine must be deposited in the treatment tank by the homeowner (owner/operator) to treat the waste with chlorination disinfection prior to disposal through subsurface drip or spray irrigation (ODEQ, 2012).

Once disinfection occurs, the treated wastewater is transported to the holding or pump tank where the water can then be used for outdoor irrigation purposes. Surface irrigation, the most common practice in Oklahoma, is a less expensive way of disposing of effluent, but subsurface drip is safer in terms of avoiding contact with potential contaminants. A drip tube irrigation piping system located at least 30 cm below the soil surface is the safest disposal method for treated wastewater (Franti et al. 2002).

Certified Installer and Homeowner Maintenance and Requirements

A certified installer must be licensed before installing an ATS. A certified installer will perform proper maintenance requirements associated with ATS for two years after installation. Once the certified installer's agreement expires (two years after installation), all duties performed by the certified installer initially are then transferred to the homeowner (owner/operator) as defined by the ATS regulatory standards in Oklahoma (ODEQ, 2012).

ATS maintenance duties include but are not limited to ensuring that "...sewage or effluent from the system is properly treated and does not surface, pool, flow across the ground or discharge to surface waters" (ODEQ, 2012). ATS may discharge treated effluent only when daily inputs are greater than 100 gallons or less than 1,500 gallons per day (ODEQ, 2012). ATS-treated wastewater may only be discharged between 1 a.m. and 6 a.m., with no exceptions (ODEQ, ASTS).

Water clarity may be measured by a secchi disk (an instrument used for measuring water clarity) and the bottom of the holding or pump tank must be visible at all times. If a homeowner chooses to discharge treated effluent through spray irrigation, "...a free chlorine residual of one-fifth of a milligram per liter (0.2 mg/l) must be maintained in the pump tank." Fecal coliform bacteria should not exceed 200 cfu (colony forming units)/100 mL (ODEQ, 2012).

Recent Research on Bacteria Concentrations from ATS

Pathogenic bacteria have the potential to contaminate creeks and streams during rainfall events. Reports of human illness are associated with swimming, drinking or ingesting contaminated water with *E. coli* and fecal coliform bacteria. "Fecal coliforms are bacteria that are associated with human or animal wastes." The USEPA has set a Maximum Contaminant Level Goal (MCLG) for fecal coliforms at zero for drinking water. According to the USEPA "*Escherichia coli* (*E. coli*) is a type of fecal coliform bacteria... found in the intestines of animals and humans. ...*E. coli* is a strong indication of recent sewage or animal contamination. ... Sewage may contain many types of disease-causing organisms" (USEPA, 2013a).

ATS owners/operators do not need to obtain an Oklahoma Pollutant Discharge Elimination System (OPDES) permit prior to discharging treated effluent to the surface (ODEQ, 2011d). Specifications of ATS disposal are not specified (ODEQ, 2012). Dependent upon the size and location of the ATS, OKDEQ may consider requiring an OPDES permit prior to discharging treated effluent.

Standards for ATS include fecal coliform bacteria concentrations (ODEQ, 2012). Standards specify ATS should not exceed fecal coliform concentrations above 200 cfu/100 mL per sample; however, fecal coliform sampling and testing requirements are not required (ODEQ, 2012). Rules and regulations associated with ATS in Oklahoma do not include *E. coli* standards (ODEQ, 2012).

In a 2014 study of three typically installed ATS in Oklahoma, approximately 10,000 to 200,000 most probable number (MPN)/100 mL fecal coliform concentrations were quantified from ATS holding (pump) tanks. Approximately 1,000 to 100,000 MPN/100 mL *E. coli* concentrations were quantified

from these same holding tanks (Stambaugh, 2014). Please note that cfu and MPN are interchangeable; MPN was the unit used in this study (Stambaugh, 2014) However, the USEPA states that systems are "...required to disinfect to ensure that all bacterial contamination is inactivated, such as *E. coli*" (USEPA, 2013a).

ATS Homeowner Recommendations

- Do not use ATS effluent to irrigate crops or consumable plants. Bacterial contamination is transmitted to humans or animals through contaminated water or crops (CDC, 2012).
- Do not allow children to play near ATS discharge effluent disposal field where ponding or soil saturation may occur and potentially cause illness (CDC, 2012).
- Do not discharge treated effluent near a stream or creek, potentially contaminating surface waters (ODEQ, 2012).
- Do not allow animals to consume ATS -treated water.
- Human contact with ATS-treated water should be avoided.
- Maintenance requirements of ATS should be closely followed according to installation instructions. Obtain the factory installation and maintenance guidelines.
- While a homeowner can perform routine maintenance, all repairs should be performed by a certified professional.
- Make sure the terms of the contract is understood, if using a certified ATS maintenance technician.
- Inspection of ATS performance should be conducted at regular intervals as recommended by certified ATS technician and should occur at transfer of ownership.
- Keep records on installation, maintenance and testing of the system.
- Large systems or industrial facilities generating greater than 1,500 gallons/day of water and/or industrial facilities should not use ATS (ODEQ, 2012) .
- Discharge ATS water through a drip irrigation piping system located at least 30 cm below the surface (Franti et al. 2002).
- Do not allow ponding or soil saturation to occur; runoff and soil leaching potentially leads to creeks, streams or rivers (USEPA, 2013a).

References

- Centers for Disease Control and Prevention (CDC). 2012. *E. coli* (*Escherichia coli*). General Information: *Escherichia coli* (*E. coli*). Retrieved from: <http://www.cdc.gov/ecoli/general/index.html>. (January 2014).
- Franti, J.M., Weaver, R.W., and McInnes, K.J. 2002. Surfacing of domestic wastewater applied to soil through drip tubing and reduction in numbers of *Escherichia coli*. *Environmental Technology* 23: 1027-1032.
- Oklahoma Department of Environmental Quality (ODEQ). Aerobic Sewage Treatment System (ASTS). Operation and Maintenance Guide for Homeowners. Retrieved from: <https://www.deq.state.ok.us/eclsnew/Fact%20Sheets%20ECLS/System%20Fact%20Sheets/Aerobic.pdf>. (April 2014).
- Oklahoma Department of Environmental Quality (ODEQ). 2011d. Oklahoma DEQ Rules and Regulations/Legal Information. 252:606 Oklahoma Pollutant Discharge Elimination System (OPDES) Standards. Retrieved from: <http://www.deq.state.ok.us/mainlinks/deqrules.htm>. (February 2014).
- Oklahoma Department of Environmental Quality (ODEQ) 2011e. Aerobic System Maintenance. Retrieved From: http://www.deq.state.ok.us/eclsnew/OnSite/system_maintenance/aerobic.html. (May 2015)
- Oklahoma Department of Environmental Quality (ODEQ). 2012. Oklahoma DEQ Rules and Regulations/Legal Information. 252:641 Individual and Small Public Onsite Sewage Treatment Systems. Retrieved from: <http://www.deq.state.ok.us/mainlinks/deqrules.htm>. (January 2014).
- Stambaugh, K. 2014. Bacterial assessment of applied treated effluent from wastewater systems. M.S. Thesis. Environmental Science. Oklahoma State University.
- United States Environmental Protection Agency (USEPA). 2000. Decentralized Systems Technology Fact Sheet: Aerobic Treatment. United States Environmental Protection Agency. Office of Water. Washington, D.C. EPA 832-F-00-031. September 2000 Agency.
- United States Environmental Protection Agency (USEPA). 2013a. Water: Basic Information about Regulated Drinking Water Contaminants. Basic Information about *E. coli* 0157:H7 in Drinking Water. Retrieved from: <http://water.epa.gov/drink/contaminants/basicinformation/ecoli.cfm>. (January 2014).

The Oklahoma Cooperative Extension Service

Bringing the University to You!

The Cooperative Extension Service is the largest, most successful informal educational organization in the world. It is a nationwide system funded and guided by a partnership of federal, state, and local governments that delivers information to help people help themselves through the land-grant university system.

Extension carries out programs in the broad categories of agriculture, natural resources and environment; family and consumer sciences; 4-H and other youth; and community resource development. Extension staff members live and work among the people they serve to help stimulate and educate Americans to plan ahead and cope with their problems.

Some characteristics of the Cooperative Extension system are:

- The federal, state, and local governments cooperatively share in its financial support and program direction.
 - It is administered by the land-grant university as designated by the state legislature through an Extension director.
 - Extension programs are nonpolitical, objective, and research-based information.
 - It provides practical, problem-oriented education
- for people of all ages. It is designated to take the knowledge of the university to those persons who do not or cannot participate in the formal classroom instruction of the university.
 - It utilizes research from university, government, and other sources to help people make their own decisions.
 - More than a million volunteers help multiply the impact of the Extension professional staff.
 - It dispenses no funds to the public.
 - It is not a regulatory agency, but it does inform people of regulations and of their options in meeting them.
 - Local programs are developed and carried out in full recognition of national problems and goals.
 - The Extension staff educates people through personal contacts, meetings, demonstrations, and the mass media.
 - Extension has the built-in flexibility to adjust its programs and subject matter to meet new needs. Activities shift from year to year as citizen groups and Extension workers close to the problems advise changes.

Oklahoma State University, in compliance with Title VI and VII of the Civil Rights Act of 1964, Executive Order 11246 as amended, and Title IX of the Education Amendments of 1972 (Higher Education Act), the Americans with Disabilities Act of 1990, and other federal and state laws and regulations, does not discriminate on the basis of race, color, national origin, genetic information, sex, age, sexual orientation, gender identity, religion, disability, or status as a veteran, in any of its policies, practices or procedures. This provision includes, but is not limited to admissions, employment, financial aid, and educational services. The Director of Equal Opportunity, 408 Whitehurst, OSU, Stillwater, OK 74078-1035; Phone 405-744-5371; email: eeo@okstate.edu has been designated to handle inquiries regarding non-discrimination policies; Director of Equal Opportunity. Any person (student, faculty, or staff) who believes that discriminatory practices have been engaged in based on gender may discuss his or her concerns and file informal or formal complaints of possible violations of Title IX with OSU's Title IX Coordinator 405-744-9154.

Issued in furtherance of Cooperative Extension work, acts of May 8 and June 30, 1914, in cooperation with the U.S. Department of Agriculture, Director of Oklahoma Cooperative Extension Service, Oklahoma State University, Stillwater, Oklahoma. This publication is printed and issued by Oklahoma State University as authorized by the Vice President, Dean, and Director of the Division of Agricultural Sciences and Natural Resources and has been prepared and distributed at a cost of 82 cents per copy, 0615 GH.