



PLANT DISEASE AND INSECT ADVISORY

Entomology and Plant Pathology
Oklahoma State University
127 Noble Research Center
Stillwater, OK 74078



Vol. 7, No. 6

<http://entopl.okstate.edu/Pddl/>

Mar 24, 2008

Time to Check Cattle for Gulf Coast Ticks Justin Talley, OSU Livestock Entomologist




Gulf Coast Ticks

It is time to start checking cattle for Gulf Coast Ticks especially if you have had problems with this tick in the past. Gulf Coast Ticks (*Amblyomma maculatum*) are found in the ears of cattle. Heavy infestations cause the ears to become thickened and curled, causing a condition called “gotch ear.” This tick is considered a three-host tick and as larvae and nymphs, they are commonly found on ground-inhabiting birds, such as meadowlarks and bobwhite quail, or small rodents. This tick has become increasingly more abundant in eastern Oklahoma and infestations can be seen on cattle from early April to mid-June. They are reddish brown with pale lines along the back and very similar to but slightly smaller than American Dog Ticks. Gulf Coast Ticks have longer mouthparts than the American Dog Tick. This tick is considered a presumed vector of *Ehrlichia ruminantium*, the rickettsial causative agent of heartwater, an African disease of ruminants that may enter the United States from the Caribbean. This tick has also been documented to cause tick paralysis in cattle. Recently, research has demonstrated that this tick can vector a closely related rickettsial bacterium of the causative agent of Rocky Mountain Spotted Fever, *Rickettsia parkeri*. In 2004, the first confirmed human infection with *R. parkeri* was reported and has since been detected in Gulf Coast Ticks from Oklahoma.


The most effective means of controlling this tick is to tag your cattle with an insecticide impregnated ear tag. In the spring of 2007 I compared three different ear tags for the control of Gulf Coast Ticks. I tagged the animals in early May and calculated from an untreated control group the percent control that was obtained from each ear tag. The three tags that were compared were Avenger® (KMG Inc.), Patriot® (KMG Inc.), and Python® (Y-Tex Inc.). These tags were specifically selected for the reason of each tag representing a different chemical class.

Avenger® is a chlorinated hydrocarbon, Patriot® is an organophosphate, and Python® is a pyrethroid. Each of these products has different modes of action in how they kill the ticks. Results are presented in the graph with Avenger® represented as the blue bar, Patriot® represented as the red bar, and Python® represented as the cream bar. As you can see all tags performed very well for controlling the ticks through week 5 but Avenger® seem to last through week 6. The study was terminated after week 6 due to no ticks being found on the untreated cattle after this point. It is important to point out that all tags performed at a satisfactory level for the amount of time Gulf Coast Tick would spend on the cattle. Remember to check your cattle for these ticks and if treatment is warranted then tag your cattle with an appropriate ear tag. Also, if you do tag your cattle and horn flies become a problem later you may have to remove the ear tags so insecticide resistance does not build up in the horn fly population.



"Gotch ear" from a Gulf Coast Tick

Comparison of Ear tags Controlling Gulf Coast Tick



Dr. Richard Grantham
Director, Plant Disease and Insect Diagnostic Laboratory

Oklahoma State University, in compliance with Title IV and VII of the Civil Rights Act of 1964, Executive Order of 11246 as amended, Title IX of the Education Amendments of 1972, Americans with Disabilities Act of 1990, and other federal laws and regulations, does not discriminate on the basis of race, color, national origin, sex, age, religion, disability, or status as a veteran in any of its policies, practices or procedures. This includes but is not limited to admissions, employment, financial aid, and educational services.

Issued in furtherance of Cooperative Extension work, acts of May 8 and June 30, 1914, in cooperation with the U.S. Department of Agriculture, Robert E. Whitson, VP, Dean, and Director for Agricultural Programs, Oklahoma State University, Stillwater, Oklahoma. This publication is printed and issued by Oklahoma State University as authorized by the Dean of Agricultural Sciences and Natural Resources.