

## **Kildare Wheat Variety Trial**

wheat.okstate.edu

Cooperator: Stan Claybaker

Planting & harvest dates: 11/14/2023 & 06/17/2024

Management: Grain-only

Tillage: No-till

**Extension Educator: MacKinzie Overman** 

Previous crop: soybeans
Soil Type: Tabler silt loam

Soil test: pH= 6.4, N = 98, P = 56, K= 302

Licensee	Variety	Grain Yield			Test Weight	Wheat Protein	Stripe rust	Leaf rust
		2023-24	2-Year	3-Year	2023-24	2023-24	severity	severity
			bu/ac		Ib/bu	%	%	%
LCS	LCS Helix AX	43	29		60.3	15.2	80	5
PlainsGold	Canvas	42			59.3	14.7	60	20
PlainsGold	Crescent AX	41	31		60.2	14.9	70	10
OGI	High Cotton	41	32		58.2	15.8	10	5
OGI	Showdown	37	30	30	56.0	14.9	20	20
OGI	OK Corral	37	31	29	55.9	15.8	10	20
OGI	Green Hammer	37	32	34	57.5	18.7	25	10
AgriPro	AP Prolific	37	32		56.1	16.7	60	10
(WA	KS Providence	37	33		56.1	15.8	30	5
OGI	Strad CL+	34	35	35	58.6	17.7	5	0
OGI	Butler's Gold	34	27		58.9	17.5	20	5
Westbred	WB4401	34	31		58.4	15.2	40	5
Westbred	WB4632	33	30		58.1	14.2	80	10
_CS	LCS Atomic AX	32	24		57.1	16.0	45	5
OGI	Doublestop CL+	32	32	35	58.5	18.1	5	10
OGI	Paradox	32	32		55.0	17.0	20	0
_CS	LCS Steel AX	32	21		56.2	15.6	70	5
OGI	Smith's Gold	30	27	25	58.0	16.7	10	10
AgriPro	AP Roadrunner	30			53.7	16.2	20	0
OGI	Bentley	30	28	25	55.4	16.0	65	10
AGSECO	AG Radical	28	28		55.9	16.0	60	10
OGI	Breadbox	28			56.0	17.7	20	0
OGI	Big Country	27	24	24	57.3	18.4	0	0
OGI	Uncharted	25	26	26	55.7	17.9	20	5
OGI	Gallagher	18	25	21	53.5	17.8	15	5
	Experimentals							
OSU	OK20708	43			56.6	16.0	40	5
OSU	OK198417C	32			59.2	17.0	5	0
OSU	OK16107133-19-4	30			54.3	17.7	10	5
OSU	OK16107133-19-3	24	22		54.5	17.6	10	5
OSU	OK16103083	16	22		50.8	16.9	60	0
	Mean	32	28	28	56.7	16.5	33	7
	LSD (0.05)	7	6	5	1.3	0.8		

Notes:

Grain yield and protein concentration were adjusted to 12% moisture content. Shaded values were not statistically different from the highest value within a column. There was no variety trial in the 2021-2022 growing season, thus 3-year averages represent results from 2024, 2023, and 2021 harvest year. There was a severe pressure of stripe rust and moderate pressure of leaf rust. Disease severity ratings were collected on May 5 (around milky ripe stage). The trial received 1.5" rainfall between harvest maturity and the time it could be harvested, and disease pressure was high, possibly driving down test weight. Double-dashes "--" = data not available.